



The Coal  
Authority



INVESTOR IN PEOPLE



RTPI  
Learning Partner

200 Lichfield Lane  
Berry Hill  
Mansfield  
Nottinghamshire  
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: [planningconsultation@coal.gov.uk](mailto:planningconsultation@coal.gov.uk)

Web: [www.gov.uk/coalauthority](http://www.gov.uk/coalauthority)

For the Attention of: Mr B Turner – Case Officer  
Sheffield City Council

[By Email: [dcscan@sheffield.gov.uk](mailto:dcscan@sheffield.gov.uk)]

29 September 2017

Dear Mr Turner

**PLANNING APPLICATION: 17/04673/OUT**

**Outline application for up to 93 residential dwellings including open space - Land at junction with Carr Road, Hollin Busk Lane, Sheffield, S36 1GH**

Thank you for your notification of 18 December 2017 seeking the views of The Coal Authority on the above planning application.

The Coal Authority is a non-departmental public body sponsored by the Department for Business, Energy & Industrial Strategy. As a statutory consultee, The Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

**The Coal Authority Response: Material Consideration**

I have reviewed the proposals and confirm that the application site falls within the defined Development High Risk Area; therefore within the application site and surrounding area there are coal mining features and hazards which need to be considered in relation to the determination of this planning application.

The Coal Authority records indicate that the site is in an area of recorded and likely unrecorded coal workings at shallow depth.

The planning application is supported by a Stage 1 Geo-Environmental Desk Study Report, dated June 2016 and prepared by ARP Geotechnical Ltd. This report has been informed by an appropriate range of sources of information.

Having reviewed the available coal mining and geological information the Stage 1 Geo-Environmental Desk Study Report concludes that there is a potential risk posed to the

development by past coal mining activity. The report therefore recommends that intrusive site investigations are carried out on site in order to establish the exact situation in respect of coal mining legacy issues. In order to inform these investigations the report authors recommend reviewing the mine abandonment plans for the site. The report also recommends that gas monitoring is carried out on site.

The intrusive site investigations should be designed by a competent person and should ensure that they are adequate to properly assess the ground conditions on the site in order to establish the exact situation in respect of coal mining legacy and the potential risks posed to the development by past coal mining activity. The nature and extent of the intrusive site investigations should be agreed with the Permitting Section of the Coal Authority as part of the permissions process. The findings of the intrusive site investigations should inform any remedial works and/or mitigation measures which may be required.

#### The Coal Authority Recommendation to the LPA

The Coal Authority concurs with the recommendations of the Stage 1 Geo-Environmental Desk Study Report; that intrusive site investigation works should be undertaken prior to development in order to establish the exact situation regarding coal mining legacy issues on the site.

In the event that the site investigations confirm the need for remedial works to treat the areas of shallow mine workings to ensure the safety and stability of the proposed development, this should also be conditioned to ensure that any remedial works identified by the site investigation are undertaken prior to commencement of the development.

A condition should therefore require prior to the commencement of development:

- \* The undertaking of a scheme of intrusive site investigations which is adequate to properly assess the ground conditions and the potential risks posed to the development by past coal mining activity;
- \* The submission of a report of findings arising from the intrusive site investigations, including details of any remedial works necessary for approval; and
- \* Implementation of those remedial works.

The Coal Authority therefore has **no objection** to the proposed development **subject to the imposition of a condition or conditions to secure the above.**

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely

*Melanie Lindsley*

**Melanie Lindsley** BA (Hons), DipEH, DipURP, MA, PGCertUD, PGCertSP, MRTPI  
**Team Leader - Planning Liaison**

## General Information for the Applicant

Under the Coal Industry Act 1994 any intrusive activities, including initial site investigation boreholes, and/or any subsequent treatment of coal mine workings/coal mine entries for ground stability purposes require the prior written permission of The Coal Authority, since such activities can have serious public health and safety implications. Failure to obtain permission will result in trespass, with the potential for court action. In the event that you are proposing to undertake such work in the Forest of Dean local authority area our permission may not be required; it is recommended that you check with us prior to commencing any works. Application forms for Coal Authority permission and further guidance can be obtained from The Coal Authority's website at:

<https://www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property>

## Disclaimer

The above consultation response is provided by The Coal Authority as a Statutory Consultee and is based upon the latest available data on the date of the response, and electronic consultation records held by The Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to The Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by The Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the Applicant for consultation purposes.

*In formulating this response The Coal Authority has taken full account of the professional conclusions reached by the competent person who has prepared the Coal Mining Risk Assessment or other similar report. In the event that any future claim for liability arises in relation to this development The Coal Authority will take full account of the views, conclusions and mitigation previously expressed by the professional advisers for this development in relation to ground conditions and the acceptability of development.*